Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	231	(451/420).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/23 15:41
S2	189	(451/419).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/23 15:47
S3 4	374	(451/415).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/23 16:02
S4	2	(("4171851") or ("4096667")).PN.	US-PGPUB; USPAT	OR	OFF	2004/11/23 16:05
<b>S</b> 5	29663	grinding with machine	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/24 07:18
S6	1100	S5 and fixture	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/23 16:05
<b>S7</b>	354	S6 and clamp	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/23 16:06
<b>S8</b>	29663	grinding with machine	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/24 07:18
<b>S9</b>	2352	S8 and clamp	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/24 07:19
S10	834	S9 and hole	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/24 07:19
S11	127	S8 and clamp with hole	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/24 09:41
S12	851	(451/8).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/24 07:39

S13	436	(451/9).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/24 07:39
S14	348	(451/10).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/24 07:39
S15	1019	(451/11).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/24 07:39
<b>S16</b>	74	S12 and indicator	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/24 07:43
S17	45	S13 and indicator	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/24 07:47
<b>S18</b>	17	S14 and indicator	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/24 07:48
S19	42	S15 and indicator	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/24 07:50
S20	768	S8 and indicator	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/24 07:50
S21	318	S20 and dimension	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/24 08:00
S22	793	fixture same shaft same clamp	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/24 08:01
S23	405	S22 and hole	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/24 08:16
<b>524</b>	305	(451/369).CCLS	US-PGPUB; USPAT; EPO; JPO; DERWENT	ÓR	OFF	2004/11/24 08:35

S25	169	S20 and holder	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/24 08:48
S26	102	(451/410).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/24 08:59
S27	412	(451/460).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/24 09:30
<b>S28</b>	0	tw-148256-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/24 09:30
S29	0	"148256.pn"	EPO; JPO; DERWENT	OR	ON	2004/11/24 09:31
S30	<b>52</b>	S8 and base and column and sleeve and indicator	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/24 09:49
S31	4,	"148256".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/24 09:51
S32	0	tw-148256-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/24 09:52
S33	64698	("451").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/24 09:52
S34	1	S33 and polishing with machine and indicator with dimension	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	-2004/11/24 12:19
S35	318	S33 and grinding with machine and indicator	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/24 10:36
<b>S36</b>	247	S33 and grinding with machine and sleeve and dimension	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/24 10:36
S37	894	S33 and indicator	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/24 12:20

S38	164	S37 and sleeve	US-PGPUB;	OR	ON	2004/11/24 12:20
			USPAT;			,,
			EPO; JPO;			
			DERWENT			